



**ELECTRICAL
CONDUITS
ACCESSORIES**

电器线路

管路配套

金属软管接头



YUYAO JIACHI PIPE CO., LTD

地址: 余姚市牟山镇
金牛东路65号
电话: 0574-62490601
传真: 0574-62490869
手机: 13646666928
(微信同号)
邮编: 315464

周先生-jimmy
sales@nbjiachi.com
jimmy@nbjiachi.com
www.nbjiachi.com

Add: 65# Jinniu East Rd, Moshan Town of Yuyao City, Ningbo, China
Tel: +86-574-62490601
Fax: +86-574-62490869
Wechat: +86-13646666928

COMPANY PROFILE


Yuyao Jiachi Pipe Co.,Ltd (former name:Yuyao Yongyu Metal Pipe Co.,Ltd.) is specialized in manufacturing: metal electrical conduit connectors, pvc coatedconduits,metal conduits,metal electrical conduit fittings for more than 30 years in China;Products made in Yuyao Jiachi ipe Co.,Ltd. is widly using in Railway wire protection,engines,trafficsystem,various machineries,power plants, chemicalindustrials,power distribution system,communicationsystem,vessels,mansions,factories,buidngs as well as outdoors'locations in China and worldwide;Jiachi factory abuts to No.61 provincial roads(329 federal highways),Airport,Express Way, Rail Way. It is only80 kms from Shanghai if go through by Hangzhou Bay Crossover Bridge. Makes itvery convienient for bothdomestic and export transportation;Together with updatingnew equipments,experienced engineers and good management(ISO9001 QualitySystem),Jiachi products will have very bright future..

余姚市佳驰管件有限公司紧靠61省道 (329国道), 机场、高速公路、铁路横贯其中, 交通便捷。地处美丽富庶的长江三角洲, 北濒杭州湾、南临四明山、西连杭州、东接宁波港。近离萧山国际机场、宁波波社机场, 与杭州湾跨海大桥近在咫尺。


余姚市佳驰管件有限公司(原余姚市永宇金属管件有限公司创建于一九九二年, 至今已有三十多年的历史》是家专业从事电器线路/管路配套产品的生产厂家,主要生产金属软管接头,产品应用于道路、铁道、交通运输工程;发电厂、水库、输配电系统电气设施保护。通讯系统、基地台架设、由地面竖立之配管保护, 船舶、大厦、厂房内及屋外露出部分之配线保护。产品销往全国各地并远销日本、台湾、泰国、美国、韩国等。

余姚市佳驰管件有限公司贯彻质量第一、用户至上的精神, 本公司所有产品均严格按照ISO9001-2000质量认证标准进行生产。

我们将坚持以人为本的企业理念, 运用灵活的现代企业管理制度, 坚持以质取胜。以合理的价格及完善的售后服务为经营理念!不断创新、开拓进取, 佳驰管件热忱欢迎国内外客户的光临指导与合作。



US Steel Conduit and Fittings



EMT Conduit & Fittings



EMT Conduit Pipe

Size	Outside Diameter*Wall Thickness*Length
1/2"	17.93mm*1.07mm*3.05m
3/4"	23.42mm*1.24mm*3.05m
1"	29.54mm*1.45mm*3.05m
1-1/4"	38.40mm*1.60mm*3.05m
1-1/2"	44.20mm*1.65mm*3.05m
2"	55.80mm*1.65mm*3.05m
2-1/2"	73.03mm*1.83mm*3.05m
3"	88.90mm*1.83mm*3.05m
3-1/2"	101.6mm*2.11mm*3.05m
4"	114.30mm*2.11mm*3.05m



EMT 90 Degree Elbow

CAT#	Size
EEL-50S	1/2"
EEL-75S	3/4"
EEL-100S	1"
EEL-125S	1-1/4"
EEL-150S	1-1/2"
EEL-200S	2"
EEL-250S	2-1/2"
EEL-300S	3"
EEL-400S	4"



EMT Set Screw Connector,Zinc

CAT#	Size
SSCN-050	1/2"
SSCN-075	3/4"
SSCN-100	1"
SSCN-125	1-1/4"
SSCN-150	1-1/2"
SSCN-200	2"
SSCN-250	2-1/2"
SSCN-300	3"
SSCN-400	4"



EMT Set Screw Coupling,Zinc

CAT#	Size
SSCP-050	1/2"
SSCP-075	3/4"
SSCP-100	1"
SSCP-125	1-1/4"
SSCP-150	1-1/2"
SSCP-200	2"
SSCP-250	2-1/2"
SSCP-300	3"
SSCP-400	4"



EMT Set Screw Connector,Steel

CAT#	Size
H-50S	1/2"
H-75S	3/4"
H-100S	1"
H-125S	1-1/4"
H-150S	1-1/2"
H-200S	2"
H-250S	2-1/2"
H-300S	3"
H-350S	3-1/2"
H-400S	4"




EMT Set Screw Coupling,Steel

CAT#	Size
Z-50S	1/2"
Z-75S	3/4"
Z-100S	1"
Z-125S	1-1/4"
Z-150S	1-1/2"
Z-200S	2"
Z-250S	2-1/2"
Z-300S	3"
Z-350S	3-1/2"
Z-400S	4"


EMT Compression Connector,Zinc

CAT#	Size
CCN-050	1/2"
CCN-075	3/4"
CCN-100	1"
CCN-125	1-1/4"
CCN-150	1-1/2"
CCN-200	2"


EMT Set Screw Coupling,Aluminum

CAT#	Size
SSCP-050A	1/2"
SSCP-075A	3/4"
SSCP-100A	1"
SSCP-125A	1-1/4"
SSCP-150A	1-1/2"
SSCP-200A	2"


EMT Conduit Bushing

CAT#	Size
CB-050	1/2"
CB-075	3/4"
CB-100	1"
CB-125	1-1/4"
CB-150	1-1/2"
CB-200	2"
CB-250	2-1/2"
CB-300	3"
CB-400	4"


EMT Compression Coupling,Zinc

CAT#	Size
CCP-050	1/2"
CCP-075	3/4"
CCP-100	1"
CCP-125	1-1/4"
CCP-150	1-1/2"
CCP-200	2"


EMT Compression Connector,Steel

CAT#	Size
ZC-50S	1/2"
ZC-75S	3/4"
ZC-100S	1"
ZC-125S	1-1/4"
ZC-150S	1-1/2"
ZC-200S	2"
ZC-250S	2-1/2"
ZC-300S	3"
ZC-350S	3-1/2"
ZC-400S	4"


EMT Conduit Bushing Insulated

CAT#	Size
CB-050I	1/2"
CB-075I	3/4"
CB-100I	1"
CB-125I	1-1/4"
CB-150I	1-1/2"
CB-200I	2"
CB-250I	2-1/2"
CB-300I	3"
CB-400I	4"


EMT Conduit Bushing,Aluminum

CAT#	Size
CB-050A	1/2"
CB-075A	3/4"
CB-100A	1"


EMT Compression Coupling,Steel

CAT#	Size
ZCC-50S	1/2"
ZCC-75S	3/4"
ZCC-100S	1"
ZCC-125S	1-1/4"
ZCC-150S	1-1/2"
ZCC-200S	2"
ZCC-250S	2-1/2"
ZCC-300S	3"
ZCC-350S	3-1/2"
ZCC-400S	4"


EMT Set Screw Connector,Aluminum

CAT#	Size
SSCN-050A	1/2"
SSCN-075A	3/4"
SSCN-100A	1"
SSCN-125A	1-1/4"
SSCN-150A	1-1/2"
SSCN-200A	2"


Grounding Bushing Insulated

CAT#	Size
CB-050MG	1/2"
CB-075MG	3/4"
CB-100MG	1"
CB-125MG	1-1/4"
CB-150MG	1-1/2"
CB-200MG	2"
CB-250MG	2-1/2"
CB-300MG	3"
CB-350MG	3-1/2"
CB-400MG	4"


Plastic Bushing

CAT#	Size
IPB-050	1/2"
IPB-075	3/4"
IPB-100	1"
IPB-125	1-1/4"
IPB-150	1-1/2"
IPB-200	2"
IPB-250	2-1/2"
IPB-300	3"
IPB-350	3-1/2"
IPB-400	4"


EMT to EMT Capped
Corner Coupling

CAT#	Size
CCC-050	1/2"
CCC-075	3/4"
CCC-100	1"



EMT to Flex Coupling

CAT#	Size
ESC-050	1/2"
ESC-075	3/4"
ESC-100	1"



EMT Conduit Hanger

CAT#	Size
CH-050	1/2"
CH-075	3/4"
CH-100	1"
CH-125	1-1/4"
CH-150	1-1/2"
CH-200	2"
CH-250	2-1/2"
CH-300	3"
CH-400	4"



EMT Strut Clamp

CAT#	Size
SC-050	1/2"
SC-075	3/4"
SC-100	1"
SC-125	1-1/4"
SC-150	1-1/2"
SC-200	2"



EMT to EMT Pull Corner Elbow

CAT#	Size
ETE-050	1/2"
ETE-075	3/4"
ETE-100	1"



EMT Offset Connector

CAT#	Size
OFC-050	1/2"
OFC-075	3/4"
OFC-100	1"


EMT Set Screw Service
Entrance Cap Aluminum

CAT#	Size
CEC-050	1/2"
CEC-075	3/4"
CEC-100	1"
CEC-125	1-1/4"
CEC-150	1-1/2"
CEC-200	2"
CEC-250	2-1/2"
CEC-300	3"
CEC-400	4"



EMT One Hole Strap

CAT#	Size
OSP-050	1/2"
OSP-075	3/4"
OSP-100	1"
OSP-125	1-1/4"
OSP-150	1-1/2"
OSP-200	2"



Steel Locknut

CAT#	Size
SLN-50S	1/2"
SLN-75S	3/4"
SLN-100S	1"
SLN-125S	1-1/4"
SLN-150S	1-1/2"
SLN-200S	2"
SLN-250S	2-1/2"
SLN-300S	3"
SLN-400S	4"



EMT Aluminum Conduit Bender

CAT#	Size
ACB-050	1/2"
ACB-075	3/4"
ACB-100	1"



EMT Two Hole Strap

CAT#	Size
TSP-050	1/2"
TSP-075	3/4"
TSP-100	1"
TSP-125	1-1/4"
TSP-150	1-1/2"
TSP-200	2"



EMT Conduit Spacer Bar Saddle

CAT#	Size
CSB-075	3/4"
CSB-100	1"



Zinc Locknut

CAT#	Size
ZLN-50S	1/2"
ZLN-75S	3/4"
ZLN-100S	1"
ZLN-125S	1-1/4"
ZLN-150S	1-1/2"
ZLN-200S	2"
ZLN-250S	2-1/2"
ZLN-300S	3"
ZLN-400S	4"



EMT Conduit Bender, Metallic

CAT#	Size
SCB-50	1/2"
SCB-075	3/4"
SCB-100	1"


IMC/RSC Conduit & Fittings

IMC Conduit Pipe

Size	Outside Diameter*Wall Thickness*Length
1/2"	20.7mm*1.79mm*3.05m
3/4"	26.1mm*1.9mm*3.05m
1"	32.8mm*2.15mm*3.05m
1-1/4"	41.6mm*2.16mm*3.05m
1-1/2"	47.8mm*2.29mm*3.05m
2"	59.9mm*2.41mm*3.05m
2-1/2"	72.6mm*3.81mm*3.05m
3"	88.3mm*3.81mm*3.05m
4"	113.4mm*3.81mm*3.05m


Rigid Steel Conduit

Size	Outside Diameter*Wall Thickness*Length
1/2"	21.34mm*2.64mm*3.05m
3/4"	26.67mm*2.72mm*3.05m
1"	33.40mm*3.20mm*3.05m
1-1/4"	42.16mm*3.38mm*3.05m
1-1/2"	48.26mm*3.51mm*3.05m
2"	60.33mm*3.71mm*3.05m
2-1/2"	73.03mm*4.90mm*3.05m
3"	88.90mm*5.21mm*3.05m
4"	114.30mm*5.72mm*3.05m


IMC Conduit 90° Elbow

CAT#	Size
IEL-50S	1/2"
IEL-75S	3/4"
IEL-100S	1"
IEL-125S	1-1/4"
IEL-150S	1-1/2"
IEL-200S	2"


IMC Coupling, steel

CAT#	Size
IC-050	1/2"
IC-075	3/4"
IC-100	1"
IC-125	1-1/4"
IC-150	1-1/2"
IC-200	2"
IC-250	2-1/2"
IC-300	3"
IC-350	3-1/2"
IC-400	4"



Rigid Coupling, steel

CAT#	Size
RCPS	1/2"
RCPS	3/4"
RCPS	1"
RCPS	1-1/4"
RCPS	1-1/2"
RCPS	2"
RCPS	2-1/2"
RCPS	3"
RCPS	3-1/2"
RCPS	4"
RCPS	5"
RCPS	6"



Rigid Set Screw Connector

CAT#	Size
SSCN-050R	1/2"
SSCN-075R	3/4"
SSCN-100R	1"
SSCN-125R	1-1/4"
SSCN-150R	1-1/2"
SSCN-200R	2"


Service Entrance Cap
Threaded type Aluminum

CAT#	Size
TEC-050	1/2"
TEC-075	3/4"
TEC-100	1"
TEC-125	1-1/4"
TEC-150	1-1/2"
TEC-200	2"
TEC-250	2-1/2"
TEC-300	3"
TEC-400	4"



Reducing Bushing, steel

CAT#	Size
RBS-075050	3/4"x1/2"
RBS-100050	1"x1/2"
RBS-100075	1"x3/4"
RBS-125050	1-1/4"x1/2"
RBS-125075	1-1/4"x3/4"
RBS-125100	1-1/4"x1"
RBS-150050	1-1/2"x1/2"
RBS-150075	1-1/2"x3/4"
RBS-150100	1-1/2"x1"
RBS-150125	1-1/2"x1 1/4"
RBS-200050	2"x1/2"
RBS-200075	2"x3/4"
RBS-200100	2"x1"
RBS-200125	2"x1-1/4"
RBS-200150	2"x1-1/2"
RBS-250200	2-1/2"x2"
RBS-300200	3"x2"
RBS-400200	4"x2"
RBS-400300	4"x3"



Rigid Set Screw Coupling

CAT#	Size
SSCP-050R	1/2"
SSCP-075R	3/4"
SSCP-100R	1"
SSCP-125R	1-1/4"
SSCP-150R	1-1/2"
SSCP-200R	2"


Rigid Compression
Connector, steel

CAT#	Size
Y-RT50	1/2"
Y-RT75	3/4"
Y-RT100	1"
Y-RT125	1-1/4"
Y-RT150	1-1/2"
Y-RT200	2"



Rigid Conduit Nipple, Steel

CAT#	Size
RCN-050	1/2"
RCN-075	3/4"
RCN-100	1"
RCN-125	1-1/4"
RCN-150	1-1/2"
RCN-200	2"
RCN-250	2-1/2"
RCN-300	3"
RCN-400	4"



Rigid Compression Coupling, steel

CAT#	Size
Y-RTC50	1/2"
Y-RTC75	3/4"
Y-RTC100	1"
Y-RTC125	1-1/4"
Y-RTC150	1-1/2"
Y-RTC200	2"



Rigid Watertight Hub

CAT#	Size
H-050	1/2"
H-075	3/4"
H-100	1"
H-125	1-1/4"
H-150	1-1/2"
H-200	2"
H-250	2-1/2"
H-300	3"
H-400	4"



IMC/Rigid One Hole Strap

CAT#	Size
OSP-050R	1/2"
OSP-075R	3/4"
OSP-100R	1"
OSP-125R	1-1/4"
OSP-150R	1-1/2"
OSP-200R	2"
OSP-250R	2-1/2"
OSP-300R	3"
OSP-400R	4"



Pull Corner Elbow Rigid to Rigid

CAT#	Size
RTR-050	1/2"
RTR-075	3/4"
RTR-100	1"



Grounding Rigid Watertight Hub

CAT#	Size
HG-050	1/2"
HG-075	3/4"
HG-100	1"
HG-125	1-1/4"
HG-150	1-1/2"
HG-200	2"
HG-250	2-1/2"
HG-300	3"
HG-400	4"



Rigid Male Enlarger, steel

CAT#	Size
ME-050075	1/2"Mx3/4"F
ME-050100	1/2"Mx1"F
ME-075100	3/4"Mx1"F



IMC/Rigid Two Hole Strap

CAT#	Size
TSP-050R	1/2"
TSP-075R	3/4"
TSP-100R	1"
TSP-125R	1-1/4"
TSP-150R	1-1/2"
TSP-200R	2"
TSP-250R	2-1/2"
TSP-300R	3"
TSP-400R	4"



Rigid Strut Clamp

CAT#	Size
SC-050E	1/2"
SC-075E	3/4"
SC-100E	1"
SC-125E	1-1/4"
SC-150E	1-1/2"
SC-200E	2"

Rigid Conduit Hanger

CAT#	Size
CH-050R	1/2"
CH-075R	3/4"
CH-100R	1"
CH-125R	1-1/4"
CH-150R	1-1/2"
CH-200R	2"
CH-250R	2-1/2"
CH-300R	3"
CH-400R	4"


IEC Conduit & Fittings

IEC EMT Conduit

Trade Size	Outside Dia	Three Wall Thickness			Length
		mm	mm	mm	
16	16	1.0	1.1	1.2	3000
20	20	1.0	1.1	1.2	3000
25	25	1.0	1.1	1.2	3000
32	32	1.0	1.1	1.2	3000
40	40	1.0	1.1	1.2	3000
50	50	1.0	1.1	1.2	3000


IEC EMT Elbow

CAT#	Size
EELM-20S	20MM
EELM-25S	25MM
EELM-32S	32MM
EELM-40S	40MM
EELM-50S	50MM


IEC Rigid Steel Conduit

Size
20MM
25MM
32MM
40MM
50MM


IEC EMT Steel Connector

CAT#	Size
SSCNM-16S	16MM
SSCNM-20S	20MM
SSCNM-25S	25MM
SSCNM-32S	32MM
SSCNM-40S	40MM
SSCNM-50S	50MM


IEC EMT Steel Coupling

CAT#	Size
SSCPM-16S	16MM
SSCPM-20S	20MM
SSCPM-25S	25MM
SSCPM-32S	32MM
SSCPM-40S	40MM
SSCPM-50S	50MM


**IEC EMT Zinc Connector
(M Thread)**

CAT#	Size
SSCNM-20M	20MM
SSCNM-25M	25MM
SSCNM-32M	32MM
SSCNM-40M	40MM
SSCNM-50M	50MM


IEC EMT Zinc Coupling

CAT#	Size
SSCPM-16	16MM
SSCPM-20	20MM
SSCPM-25	25MM
SSCPM-32	32MM
SSCPM-40	40MM
SSCPM-50	50MM

IEC EMT Bushing



CAT#	Size
CBM-20	20MM
CBM-25	25MM
CBM-32	32MM
CBM-40	40MM
CBM-50	50MM
CBM-63	63MM
CBM-75	75MM
CBM-90	90MM
CBM-110	110MM


IEC EMT Two Hole Strap

CAT#	Size
TSPM-20	20MM
TSPM-25	25MM
TSPM-32	32MM
TSPM-40	40MM
TSPM-50	50MM
TSPM-63	63MM
TSPM-75	75MM
TSPM-90	90MM
TSPM-110	110MM


IEC PVC Coated Flexible Conduit

Size
16MM
20MM
25MM
32MM
40MM
50MM
63MM
75MM
90MM
110MM


**IEC Flex to Box Male Adaptor
(Hex Nut for IEC Flexible Conduit)**

CAT#	Size
DPJM-16	16MM
DPJM-20	20MM
DPJM-25	25MM
DPJM-32	32MM
DPJM-40	40MM
DPJM-50	50MM
DPJM-63	63MM
DPJM-75	75MM
DPJM-90	90MM
DPJM-110	110MM


IEC EMT Strut Clamp

CAT#	Size
SCM-16	16MM
SCM-20	20MM
SCM-25	25MM
SCM-32	32MM
SCM-40	40MM
SCM-50	50MM
SCM-63	63MM
SCM-75	75MM
SCM-90	90MM
SCM-110	110MM


IEC EMT Conduit Hanger

CAT#	Size
CHM-16	16MM
CHM-20	20MM
CHM-25	25MM
CHM-32	32MM
CHM-40	40MM
CHM-50	50MM
CHM-63	63MM
CHM-75	75MM
CHM-90	90MM
CHM-110	110MM


**IEC DKJ Type Flex to Steel
Pipe Adaptor
(Hex Nut for IEC Flexible Conduit)**

CAT#	Size
DKJM-20	20MM
DKJM-25	25MM
DKJM-32	32MM
DKJM-40	40MM
DKJM-50	50MM
DKJM-63	63MM
DKJM-75	75MM
DKJM-90	90MM
DKJM-110	110MM


**IEC Flex to Threaded
Conduit Adaptor
(Hex Nut for IEC Flexible Conduit)**

CAT#	Size
DPNM-20	20MM
DPNM-25	25MM
DPNM-32	32MM
DPNM-40	40MM
DPNM-50	50MM
DPNM-63	63MM
DPNM-75	75MM
DPNM-90	90MM
DPNM-110	110MM


IEC Conduit Fastener

CAT#	Size
CNFM-2025	20-25MM
CNFM-32	32MM
CNFM-40	40MM
CNFM-50	50MM


IEC Liquid Tight Conduit

Size
16MM
20MM
25MM
32MM
40MM
50MM
63MM
75MM
90MM
110MM


**IEC Flex to Box Male 90° Adaptor
(Hex Nut for IEC Flexible Conduit)**

CAT#	Size
DWJM-20	20MM
DWJM-25	25MM
DWJM-32	32MM
DWJM-40	40MM
DWJM-50	50MM
DWJM-63	63MM
DWJM-75	75MM
DWJM-90	90MM
DWJM-110	110MM


**IEC Flex to Box Male Adaptor
(Plum Nut for IEC Liquid Tight Conduit)**

CAT#	Size
MPJM-16	16MM
MPJM-20	20MM
MPJM-25	25MM
MPJM-32	32MM
MPJM-40	40MM
MPJM-50	50MM
MPJM-63	63MM
MPJM-75	75MM
MPJM-90	90MM
MPJM-110	110MM



**IEC DKJ Type Flex to Steel
Pipe Adaptor**
(Plum for IEC Flexible Conduit)

CAT#	Size
MKJM-20	20MM
MKJM-25	25MM
MKJM-32	32MM
MKJM-40	40MM
MKJM-50	50MM
MKJM-63	63MM
MKJM-75	75MM
MKJM-90	90MM
MKJM-110	110MM



**IEC Flex to Thread
Conduit Adaptor**

CAT#	Size
MPNM-16	16MM
MPNM-20	20MM
MPNM-25	25MM
MPNM-32	32MM
MPNM-40	40MM
MPNM-50	50MM
MPNM-63	63MM
MPNM-75	75MM
MPNM-90	90MM
MPNM-110	110MM



**IEC to IEC Capped
Corner Coupling**

CAT#	Size
CCCM-20	20MM
CCCM-25	25MM
CCCM-32	32MM



IEC Steel Locknut

CAT#	Size
SLNM-20S	20MM
SLNM-25S	25MM
SLNM-32S	32MM
SLNM-40S	40MM
SLNM-50S	50MM
SLNM-63S	63MM
SLNM-75S	75MM
SLNM-90S	90MM
SLNM-110S	110MM



IEC Flex to Box Male 90° Adaptor
(Plum Nut for IEC Liquid Tight Conduit)

CAT#	Size
MWJM-20	20MM
MWJM-25	25MM
MWJM-32	32MM
MWJM-40	40MM
MWJM-50	50MM
MWJM-63	63MM
MWJM-75	75MM
MWJM-90	90MM
MWJM-110	110MM



IEC EMT Zinc Connector
(NPT Thread)

CAT#	Size
SSCNM-16N	16MM
SSCNM-20N	20MM
SSCNM-25N	25MM
SSCNM-32N	32MM
SSCNM-40N	40MM
SSCNM-50N	50MM



IEC Watertight Hub

CAT#	Size
HM-20	20MM
HM-25	25MM
HM-32	32MM
HM-40	40MM
HM-50	50MM
HM-63	63MM



IEC Adapter
(External Thread:NPT
Internal Thread:M)

CAT#	Size
RDBM-20	1/2 NPT-M20*1.5
RDBM-25	3/4 NPT-M25*1.5
RDBM-32	1 NPT-M32*1.5
RDBM-40	1-1/4 NPT-M40*1.5
RDBM-50	1-1/2 NPT-M50*1.5
RDBM-63	2 NPT-M63*1.5
RDBM-75	2-1/2 NPT-M75*1.5
RDBM-90	3 NPT-M90*2
RDBM-110	4 NPT-M110*2



IEC Compression Connector,Zinc

CAT#	Size
CCNM-20	20MM
CCNM-25	25MM
CCNM-32	32MM



IEC Compression Coupling,Zinc

CAT#	Size
CCPM-20	20MM
CCPM-25	25MM
CCPM-32	32MM



IEC Female Steel coupling

CAT#	Size
FSCPM-20	20MM
FSCPM-25	25MM



IEC Simple Steel connector

CAT#	Size
SPSM-20	20MM
SPSM-25	25MM
SPSM-32	32MM
SPSM-40	40MM
SPSM-50	50MM



Flex Conduit & Fittings



Galvanized Flexible Steel Conduit

Normal size	Type	Inside Diameter		Outside Dia Over Jacket		Min.Bend Radius	Length of Roll
		Min(mm)	Max(mm)	Min(mm)	Max(mm)	(mm)	(mm)
3/8"~12mm	SLDX210	12.30	12.80	15.70	16.20	33	50
1/2"~16mm	SLDX220	15.80	16.30	19.20	19.70	38	50
3/4"~20mm	SLDX230	20.70	21.20	24.50	25.10	45	50
1"~25mm	SLDX240	26.00	26.60	30.40	31.00	55	50
1-1/4"~32mm	SLDX250	34.70	35.40	39.60	40.30	62	30
1-1/2"~38mm	SLDX260	40.00	40.60	45.20	45.80	90	30
2"~51mm	SLDX270	51.30	51.90	56.50	57.10	110	20
2-1/2"~64mm	SLDX280	63.00	63.60	70.20	70.80	130	10
3"~75mm	SLDX290	78.00	78.70	85.20	85.90	160	10
4"~100mm	SLDX300	101.60	102.60	108.50	109.50	210	10



PVC Coated Flexible Conduit

Normal size	Type	Inside Diameter		Outside Dia Over Jacket		Min.Bend Radius	Length of Roll
		Min(mm)	Max(mm)	Min(mm)	Max(mm)	(mm)	(mm)
3/8"~12mm	SLFS210	12.30	12.80	16.70	17.20	50	50
1/2"~16mm	SLFS220	15.80	16.30	20.20	20.70	65	50
3/4"~20mm	SLFS230	20.70	21.20	25.50	26.10	75	50
1"~25mm	SLFS240	26.00	26.60	31.60	32.20	100	50
1-1/4"~32mm	SLFS250	34.70	35.40	40.80	41.50	125	30
1-1/2"~38mm	SLFS260	40.00	40.60	46.60	47.20	150	30
2"~51mm	SLFS270	51.30	51.90	58.10	58.70	175	20
2-1/2"~64mm	SLFS280	63.00	63.60	71.80	72.40	200	10
3"~75mm	SLFS290	78.00	78.70	87.20	87.90	225	10
4"~100mm	SLFS300	101.60	102.60	111.20	112.30	275	10



Liquid Tight Flexible Conduit

Normal size	Type	Inside Diameter		Outside Dia Over Jacket		Min.Bend Radius	Length of Roll
		Min(mm)	Max(mm)	Min(mm)	Max(mm)	(mm)	(mm)
3/8"~12mm	SLGFY210B	12.30	12.80	17.50	18.00	60	30
1/2"~16mm	SLGFY220B	15.80	16.30	20.80	21.30	80	30
3/4"~20mm	SLGFY230B	20.70	21.20	26.20	26.70	100	30
1"~25mm	SLGFY240B	26.00	26.60	32.70	33.40	150	30
1-1/4"~32mm	SLGFY250B	34.70	35.40	41.40	42.20	180	20
1-1/2"~38mm	SLGFY260B	40.00	40.60	47.40	48.30	200	20
2"~51mm	SLGFY270B	51.30	51.90	59.40	60.30	250	15
2-1/2"~64mm	SLGFY280B	63.00	63.60	72.10	72.00	300	10
3"~75mm	SLGFY290B	78.00	78.70	87.90	88.90	450	10
4"~100mm	SLGFY300B	101.60	102.60	113.20	114.20	600	5





US Type Flexible Steel Conduit

Trade Size	Acceptable I.D.	Acceptable O.D.	Bending Radius	Length
	MIN(mm)	MIN(mm)		m/Roll
3/8"	9.50	15.60	51	100
1/2"	15.80	23.40	76	50
3/4"	20.60	28.10	101	50
1"	25.40	35.10	127	50
1-1/4"	31.80	41.40	165	25
1-1/2"	38.10	49.53	190	25
2"	50.80	62.23	254	25
2-1/2"	63.50	77.72	317	10
3"	76.20	90.42	381	10
4"	101.60	115.82	508	10



Straight Squeeze BX Connector

CAT#	Size
SSC-038	3/8"
SSC-050	1/2"
SSC-075	3/4"
SSC-100	1"
SSC-125	1-1/4"
SSC-150	1-1/2"
SSC-200	2"
SSC-250	2-1/2"
SSC-300	3"
SSC-400	4"



90degree Squeeze Connector

CAT#	Size
ASC-038	3/8"
ASC-050	1/2"
ASC-075	3/4"
ASC-100	1"
ASC-125	1-1/4"
ASC-150	1-1/2"
ASC-200	2"
ASC-250	2-1/2"
ASC-300	3"
ASC-400	4"



Non Metallic Liquid Tight Conduit

CAT#	Size
NMLTC220	1/2"
NMLTC230	3/4"
NMLTC240	1"
NMLTC250	1-1/4"
NMLTC260	1-1/2"
NMLTC270	2"



RGS Straight Connector, zinc

CAT#	Size
RSC-050	1/2"
RSC-075	3/4"
RSC-100	1"
RSC-125	1-1/4"
RSC-150	1-1/2"
RSC-200	2"



RGS Straight Connector, Aluminum

CAT#	Size
RSC-050A	1/2"
RSC-075A	3/4"
RSC-100A	1"
RSC-125A	1-1/4"
RSC-150A	1-1/2"
RSC-200A	2"



Non-Metallic Flexible Corrugated Conduit Pipe

Model	Specification				
	Inner Diameter	Outer Diameter	Bending Radius	Packaging	
PA	Inch	I.D.(mm)	O.D.(mm)	R(mm)	(m)
PA-AD7.0		4.5	7.0	11	200
PA-AD10.0	1/4"	7.0	10.0	16	100
PA-AD11.6		8.0	11.6	16	100
PA-AD13.0	5/16"	10.0	13.0	20	100
PA-AD15.8	3/8"	12.0	15.8	30	100
PA-AD18.5		14.3	18.5	40	100
PA-AD21.2	1/2"	17.0	21.2	45	100
PA-AD25.0		20.0	25.0	45	50
PA-AD28.5	3/4"	23.0	28.5	50	50
PA-AD34.5	1"	29.0	34.5	60	50
PA-AD42.5	1-1/4"	36.0	42.5	70	25
PA-AD54.5	2"	48.0	54.5	90	25
PA-AD67.2		56.0	67.2	110	25
PA-AD74.0	2-1/2"	63.0	74.0	130	25
PA-AD80.0		67.0	80.0	140	25
PA-AD88.0	3"	76.0	88.0	170	10
PA-AD118.0	4"	94.0	108.0	225	10



Straight Liquid Tight Connector

CAT#	Size
SLT-038	3/8"
SLT-050	1/2"
SLT-075	3/4"
SLT-100	1"
SLT-125	1-1/4"
SLT-150	1-1/2"
SLT-200	2"
SLT-250	2-1/2"
SLT-300	3"
SLT-400	4"



Liquid Tight 90° Connector

CAT#	Size
ALT-038	3/8"
ALT-050	1/2"
ALT-075	3/4"
ALT-100	1"
ALT-125	1-1/4"
ALT-150	1-1/2"
ALT-200	2"
ALT-250	2-1/2"
ALT-300	3"
ALT-400	4"



SS304 Liquid Tight Connector Male

CAT#	Size
SLT-050SS	1/2"
SLT-075SS	3/4"
SLT-100SS	1"
SLT-125SS	1-1/4"
SLT-150SS	1-1/2"
SLT-200SS	2"



SS304 Liquid Tight Connector Female

CAT#	Size
SLTF-050SS	1/2"
SLTF-075SS	3/4"
SLTF-100SS	1"
SLTF-125SS	1-1/4"
SLTF-150SS	1-1/2"
SLTF-200SS	2"


DKJ Type Flex to Steel Pipe Adaptor
S:FOR EMT PIPE
R:FOR RSC PIPE

CAT#	Size
DKJ-038S/R	3/8"
DKJ-050S/R	1/2"
DKJ-075S/R	3/4"
DKJ-100S/R	1"
DKJ-125S/R	1-1/4"
DKJ-150S/R	1-1/2"
DKJ-200S/R	2"
DKJ-250S/R	2-1/2"
DKJ-300S/R	3"
DKJ-400S/R	4"



DGJ Type Flex to Steel Pipe Compression Connector

(DEFAULT FT:FLEX TO TUBE)
FF:FLEX TO FLEX
TT:TUBE TO TUBE
TUBE:RSC

CAT#	Size
DGJ-038FT/FF/TT	3/8"
DGJ-050FT/FF/TT	1/2"
DGJ-075FT/FF/TT	3/4"
DGJ-100FT/FF/TT	1"
DGJ-125FT/FF/TT	1-1/4"
DGJ-150FT/FF/TT	1-1/2"
DGJ-200FT/FF/TT	2"
DGJ-250FT/FF/TT	2-1/2"
DGJ-300FT/FF/TT	3"
DGJ-400FT/FF/TT	4"



Non Metallic Liquid Tight Connector

CAT#	Size
SLT-038N	3/8"
SLT-050N	1/2"
SLT-075N	3/4"
SLT-100N	1"
SLT-125N	1-1/4"
SLT-150N	1-1/2"
SLT-200N	2"



90° Non Metallic Liquid Tight Connector

CAT#	Size
ALT-038N	3/8"
ALT-050N	1/2"
ALT-075N	3/4"
ALT-100N	1"
ALT-125N	1-1/4"
ALT-150N	1-1/2"
ALT-200N	2"



DWJ Type Flex to Box 90° Connector

CAT#	Size
DWJ-038	3/8"
DWJ-050	1/2"
DWJ-075	3/4"
DWJ-100	1"
DWJ-125	1-1/4"
DWJ-150	1-1/2"
DWJ-200	2"
DWJ-250	2-1/2"
DWJ-300	3"
DWJ-400	4"



DPJD Type Flex to Box Male Connector

CAT#	Size
DPJD-014	1/4"
DPJD-038	3/8"
DPJD-050	1/2"
DPJD-075	3/4"
DPJD-100	1"
DPJD-125	1-1/4"
DPJD-150	1-1/2"
DPJD-200	2"
DPJD-250	2-1/2"
DPJD-300	3"
DPJD-400	4"



DPJ Type Flex to Box Male Connector

CAT#	Size
DPJ-014	1/4"
DPJ-038	3/8"
DPJ-050	1/2"
DPJ-075	3/4"
DPJ-100	1"
DPJ-125	1-1/4"
DPJ-150	1-1/2"
DPJ-200	2"
DPJ-250	2-1/2"
DPJ-300	3"
DPJ-400	4"



DPN Type Flex to Threaded Conduit Adaptor

CAT#	Size
DPN-038	3/8"
DPN-050	1/2"
DPN-075	3/4"
DPN-100	1"
DPN-125	1-1/4"
DPN-150	1-1/2"
DPN-200	2"
DPN-250	2-1/2"
DPN-300	3"
DPN-400	4"



DPND Type Flex to Threaded Conduit Adaptor

CAT#	Size
DPND-038	3/8"
DPND-050	1/2"
DPND-075	3/4"
DPND-100	1"
DPND-125	1-1/4"
DPND-150	1-1/2"
DPND-200	2"
DPND-250	2-1/2"
DPND-300	3"
DPND-400	4"



DKJD Type Flex to Steel Pipe Adaptor

S:FOR EMT PIPE
R:FOR RSC PIPE

CAT#	Size
DKJD-038S/R	3/8"
DKJD-050S/R	1/2"
DKJD-075S/R	3/4"
DKJD-100S/R	1"
DKJD-125S/R	1-1/4"
DKJD-150S/R	1-1/2"
DKJD-200S/R	2"
DKJD-250S/R	2-1/2"
DKJD-300S/R	3"
DKJD-400S/R	4"

DGJD Type Flex to Flex Compression Connector

(DEFAULT FF:FLEX TO FLEX)
FT:FLEX TO TUBE
TT:TUBE TO TUBE
TUBE:RSC



CAT#	Size
DGJD-038FF/FT/TT	3/8"
DGJD-050FF/FT/TT	1/2"
DGJD-075FF/FT/TT	3/4"
DGJD-100FF/FT/TT	1"
DGJD-125FF/FT/TT	1-1/4"
DGJD-150FF/FT/TT	1-1/2"
DGJD-200FF/FT/TT	2"
DGJD-250FF/FT/TT	2-1/2"
DGJD-300FF/FT/TT	3"
DGJD-400FF/FT/TT	4"



DWJD Type Flex to Box 90° Connector

CAT#	Size
DWJD-038	3/8"
DWJD-050	1/2"
DWJD-075	3/4"
DWJD-100	1"
DWJD-125	1-1/4"
DWJD-150	1-1/2"
DWJD-200	2"
DWJD-250	2-1/2"
DWJD-300	3"
DWJD-400	4"



Metal Ferrule

CAT#	Size
MF-014	1/4"
MF-038	3/8"
MF-050	1/2"
MF-075	3/4"
MF-100	1"
MF-125	1-1/4"
MF-150	1-1/2"
MF-200	2"
MF-250	2-1/2"
MF-300	3"
MF-400	4"



Metal Ferrule Screw type

CAT#	Size
LXYQ-014	1/4"
LXYQ-038	3/8"
LXYQ-050	1/2"
LXYQ-075	3/4"
LXYQ-100	1"
LXYQ-125	1-1/4"
LXYQ-150	1-1/2"
LXYQ-200	2"
LXYQ-250	2-1/2"
LXYQ-300	3"
LXYQ-400	4"

Brass Flexible Conduit Connector

CAT#	Size
DPJ-050B	1/2"
DPJ-075B	3/4"
DPJ-100B	1"
DPJ-125B	1-1/4"
DPJ-150B	1-1/2"
DPJ-200B	2"



Brass Liquid tight Connector

CAT#	Size
LTC-050B	1/2"
LTC-075B	3/4"
LTC-100B	1"
LTC-125B	1-1/4"
LTC-150B	1-1/2"
LTC-200B	2"



Screw-in Connector,Zinc

CAT#	Size
SIC-038	3/8"
SIC-050	1/2"
SIC-075	3/4"
SIC-100	1"



Screw-in Connector,Aluminum

CAT#	Size
SIC-038A	3/8"
SIC-050A	1/2"
SIC-075A	3/4"
SIC-100A	1"

DPJ Simple Connector

CAT#	Size
SDPJ-050	1/2"
SDPJ-075	3/4"
SDPJ-100	1"
SDPJ-125	1-1/4"
SDPJ-150	1-1/2"
SDPJ-200	2"




DKJ Simple Connector

CAT#	Size
SDKJ-050	1/2"
SDKJ-075	3/4"
SDKJ-100	1"
SDKJ-125	1-1/4"
SDKJ-150	1-1/2"
SDKJ-200	2"



Screw-in Coupling

CAT#	Size
SICP-050	1/2"
SICP-075	3/4"
SICP-100	1"



NM Cable Romex Connector

CAT#	Size
RMC-050	1/2"
RMC-075	3/4"
RMC-100	1"

BS Steel Conduit and Fittings



BS4568 & BS31 GI Conduit



BS4568 GI Conduit, Class 3

Trade Size (mm)	Outside Diameter		Wall Thickness (mm)	Length (meters)	Length of Thread		Primary Bundle (pcs)
	Min	Max			Min	Max	
Heavy Gauge							
20	19.7mm	20.0mm	1.6±0.15	3.75	13.0mm	15.0mm	10
25	24.6mm	25.0mm	1.6±0.15	3.75	16.0mm	18.0mm	10
32	31.6mm	32.0mm	1.6±0.15	3.75	18.0mm	20.0mm	10
40	39.6mm	40.0mm	1.8±0.15	3.75	19.0mm	22.0mm	3
50	49.6mm	50.0mm	1.8±0.15	3.75	19.0mm	22.0mm	3
Light Gauge							
20	19.7mm	20.0mm	1.20±0.05	3.75	13.0mm	15.0mm	10
25	24.7mm	25.0mm	1.20±0.05	3.75	16.0mm	18.0mm	10
32	31.7mm	32.0mm	1.20±0.05	3.75	18.0mm	20.0mm	10

BS4568 GI Conduit, Class 4

Trade Size (mm)	Outside Diameter		Wall Thickness (mm)	Length (meters)	Length of Thread		Primary Bundle (pcs)
	Min	Max			Min	Max	
Heavy Gauge							
20	19.7mm	20.0mm	1.6±0.15	3.75	13.0mm	15.0mm	10
25	24.6mm	25.0mm	1.6±0.15	3.75	16.0mm	18.0mm	10
32	31.6mm	32.0mm	1.6±0.15	3.75	18.0mm	20.0mm	10
40	39.6mm	40.0mm	1.8±0.15	3.75	19.0mm	22.0mm	3
50	49.6mm	50.0mm	1.8±0.15	3.75	19.0mm	22.0mm	3

BS31 GI Conduit, Class 3

Trade Size (mm)	Outside Diameter		Wall Thickness (mm)	Length (meters)	Length of Thread		Primary Bundle (pcs)
	Min	Max			Min	Max	
Heavy Gauge							
3/4"	18.9mm	19.05mm	1.6±0.15	3.81	11.5mm	13.5mm	10
1"	25.2mm	25.4mm	1.6±0.15	3.81	13.0mm	15.0mm	10
1 1/4"	31.5mm	31.8mm	1.6±0.15	3.81	16.0mm	18.0mm	10
1 1/2"	37.8mm	38.0mm	1.8±0.15	3.81	19.0mm	22.0mm	3
2"	50.4mm	50.6mm	1.8±0.15	3.81	19.0mm	22.0mm	3
Light Gauge							
3/4"	18.9mm	19.05mm	1.20±0.05	3.81	11.5mm	13.5mm	10
1"	25.2mm	25.4mm	1.20±0.05	3.81	13.0mm	15.0mm	10
1 1/4"	31.5mm	31.8mm	1.20±0.05	3.81	16.0mm	18.0mm	10
1 1/2"	37.8mm	38.0mm	1.60±0.05	3.81	19.0mm	22.0mm	3
2"	50.4mm	50.6mm	1.60±0.05	3.81	19.0mm	22.0mm	3

GI Flexible Conduit with PVC Coated

Trade Size (mm)	Inside Dia (mm)	Outside Dia (mm)	Reel Length (m)
20mm	16.5	20	18/20
25mm	21.0	25	18/20
32mm	27.5	32	15
40mm	38.0	43	10
50mm	46.0	52	10



BS Conduit Accessories



Short Male Bush

CAT#	Size
SMB-20	20MM
SMB-25	25MM
SMB-32	32MM
SMB-40	40MM
SMB-50	50MM



Long Male Bush

CAT#	Size
LMB-20	20MM
LMB-25	25MM
LMB-32	32MM
LMB-40	40MM
LMB-50	50MM



1-Part Brass Male Adaptor w/Locknut & Screw

CAT#	Size
MBA185SL	20MMX16MM
MBA190SL	20MMX19MM
MBA191SL	25MMX25MM
MBA192SL	32MMX32MM
MBA195SL	1-1/2"X38MM
MBA196SL	2"X50MM



2-Part Male Adaptor, zinc

CAT#	Size
TPMA-20	20MM
TPMA-25	25MM
TPMA-32	32MM
TPMA-40	40MM
TPMA-50	50MM
TPMA-63	63MM
TPMA-75	75MM
TPMA-90	90MM
TPMA-110	110MM



Brass GI Flexible Conduit Connector

CAT#	Size
DPJG-20B	20MM
DPJG-25B	25MM
DPJG-32B	32MM
DPJG-40B	40MM
DPJG-50B	50MM



2-Part Male Adaptor, brass


CAT#	Size
TPMA-20B	20MM
TPMA-25B	25MM
TPMA-32B	32MM
TPMA-40B	40MM
TPMA-50B	50MM



Steel Conduit Simple Adaptor, Aluminum


CAT#	Size
SCSA-20A	20MM
SCSA-25A	25MM

Other Accessories




Rigid Conduit Body (T)
Thread, aluminum die cast

CAT#	Size
T-50A	1/2"
T-75A	3/4"
T-100A	1"
T-125A	1-1/4"
T-150A	1-1/2"
T-200A	2"
T-250A	2-1/2"
T-300A	3"
T-350A	3-1/2"
T-400A	4"




EMT Conduit Body (ELB)
Set-screw, aluminum die cast

CAT#	Size
ELB-50A	1/2"
ELB-75A	3/4"
ELB-100A	1"
ELB-125A	1-1/4"
ELB-150A	1-1/2"
ELB-200A	2"
ELB-250A	2-1/2"
ELB-300A	3"
ELB-350A	3-1/2"
ELB-400A	4"




Rigid Conduit Body (LB)
Thread, aluminum die cast

CAT#	Size
LB-50A	1/2"
LB-75A	3/4"
LB-100A	1"
LB-125A	1-1/4"
LB-150A	1-1/2"
LB-200A	2"
LB-250A	2-1/2"
LB-300A	3"
LB-350A	3-1/2"
LB-400A	4"




Rigid Conduit Body (LL)
Thread, aluminum die cast

CAT#	Size
LL-50A	1/2"
LL-75A	3/4"
LL-100A	1"
LL-125A	1-1/4"
LL-150A	1-1/2"
LL-200A	2"
LL-250A	2-1/2"
LL-300A	3"
LL-350A	3-1/2"
LL-400A	4"




EMT Conduit Body (ELL)
Set-screw, aluminum die cast

CAT#	Size
ELL-50A	1/2"
ELL-75A	3/4"
ELL-100A	1"
ELL-125A	1-1/4"
ELL-150A	1-1/2"
ELL-200A	2"
ELL-250A	2-1/2"
ELL-300A	3"
ELL-350A	3-1/2"
ELL-400A	4"




EMT Conduit Body (ELB)
Set-screw, aluminum die cast

CAT#	Size
ELR-50A	1/2"
ELR-75A	3/4"
ELR-100A	1"
ELR-125A	1-1/4"
ELR-150A	1-1/2"
ELR-200A	2"
ELR-250A	2-1/2"
ELR-300A	3"
ELR-350A	3-1/2"
ELR-400A	4"




Rigid Conduit Body (LR)
Thread, aluminum die cast

CAT#	Size
LR-50A	1/2"
LR-75A	3/4"
LR-100A	1"
LR-125A	1-1/4"
LR-150A	1-1/2"
LR-200A	2"
LR-250A	2-1/2"
LR-300A	3"
LR-350A	3-1/2"
LR-400A	4"




Rigid Conduit Body (C)
Thread, aluminum die cast

CAT#	Size
C-50A	1/2"
C-75A	3/4"
C-100A	1"
C-125A	1-1/4"
C-150A	1-1/2"
C-200A	2"
C-250A	2-1/2"
C-300A	3"
C-350A	3-1/2"
C-400A	4"



EMT Conduit Body (EC)
Set-screw, aluminum die cast

CAT#	Size
EC-50A	1/2"
EC-75A	3/4"
EC-100A	1"
EC-125A	1-1/4"
EC-150A	1-1/2"
EC-200A	2"
EC-250A	2-1/2"
EC-300A	3"
EC-350A	3-1/2"
EC-400A	4"




EMT Conduit Body (ET)
Set-screw, aluminum die cast

CAT#	Size
ET-50A	1/2"
ET-75A	3/4"
ET-100A	1"
ET-125A	1-1/4"
ET-150A	1-1/2"
ET-200A	2"
ET-250A	2-1/2"
ET-300A	3"
ET-350A	3-1/2"
ET-400A	4"




PIPE & ACCESSORIES

Weatherproof Box



Weatherproof Box (FSB)


CAT#	Size	
FSB31	1/2"	3 holes, die cast aluminum
FSB32	3/4"	3 holes, die cast aluminum
FSB41	1/2"	4 holes, die cast aluminum
FSB42	3/4"	4 holes, die cast aluminum
FSB51	1/2"	5 holes, die cast aluminum
FSB52	3/4"	5 holes, die cast aluminum
Cover&Gasket 1-BC		




Weatherproof Box (TGB)

CAT#	Size	
TGB31	1/2"	3 holes, die cast aluminum
TGB32	3/4"	3 holes, die cast aluminum
TGB33	1"	3 holes, die cast aluminum
TGB41	1/2"	4 holes, die cast aluminum
TGB42	3/4"	4 holes, die cast aluminum
TGB43	1"	4 holes, die cast aluminum
TGB51	1/2"	5 holes, die cast aluminum
TGB52	3/4"	5 holes, die cast aluminum
TGB53	1"	5 holes, die cast aluminum
Cover&Gasket 2-BC		

Handy Box (4''*2'')


1-1/2" deep
1-7/8" deep

Octagon Box


1-1/2" deep
1-7/8" deep
2-1/8" deep

Thickness

1.5mm
1.2mm
1.0mm
0.8mm

Square Box (4''*4'')
Extension Ring


1-1/2" deep

Thickness

1.5mm
1.2mm
1.0mm
0.8mm

Square Box (4''*4'')
Extension Ring


2-1/8" deep

Thickness


1.5mm
1.2mm

Square Box (4''*4'')
Extension Ring


1-1/2" deep

Thickness

1.5mm
1.2mm
1.0mm
0.8mm


Octagon Box (4''*4'')
Extension Ring


1-1/2" deep

Thickness

1.5mm
1.2mm
1.0mm
0.8mm

4" Square Cover (Flat)




S001

S002

Thickness

1.5mm
1.2mm
1.0mm
0.8mm

Octagon Cover




O001

O002

Thickness

1.5mm
1.2mm
1.0mm
0.8mm

4''*2'' Cover



H001

4''*2'' Cover



H002

Thickness

1.5mm
1.2mm
1.0mm
0.8mm

PIPE & ACCESSORIES
Other Accessoires


PIPE & ACCESSORIES

Cable Glands



Zinc Cable Gland

CAT#	Size	cable range (mm)
M12x1.5		
M14x1.5		
M16x1.5	PG9,G3/8",NPT3/8"	5-8
M18x1.5	PG 11	7-9
M20x1.5	PG13.5,G1/2",NPT1/2"	9-11
M24x1.5	PG 16	11-13
M27x2	PG21,G3/4",NPT3/4"	13-15
M30x2		17-20
M33x2	G1",NPT1"	20-23
M36x2	PG29	23-26
M42x2	G1-1/4",NPT1-1/4"	26-30
M48x2	PG36,G1-1/2",NPT1-1/2"	30-34
M56x2		36-40
M60x2	PG48,G2,NPT2"	40-44
M64x2		44-48
M72x2	PG63,G2-1/2",NPT2-1/2"	46-52
M76x2		53-56
M80x2		56-60
M88x2	G3",NPT3"	70-72
M100x2		78-80



Brass Cable Gland

CAT#	Size	cable range (mm)
M12x1.5	PG7,G1/4",NPT1/4"	3-6.5
M14x1.5		4-8
M16x1.5	PG9,G3/8",NPT3/8"	4-8
M18x1.5	PG11	5-10
M20x1.5	PG13.5,G1/2",NPT1/2"	6-12
M22x1.5	PG16	10-14
M24x1.5		10-16
M25x1.5		12-16
M25x1.5		13-18
M27x1.5(2)	PG21,G3/4",NPT3/4"	13-18
M30x1.5(2)		13-18
M32x1.5(2)	G1",NPT1"	15-22
M33x1.5(2)		15-22
M36x1.5(2)	PG29	18-25
M37x1.5(2)		18-25
M40x1.5(2)		23-30
M42x1.5(2)	G1-1/4",NPT1-1/4"	23-30
M48x1.5(2)	PG36,G1-1/2",NPT1-1/2"	25-32
M50x1.5(2)		30-36
M54x1.5(2)	PG42	32-38
M60x1.5(2)	PG48,G2,NPT2"	37-44
M63x1.5(2)		37-44
M64x1.5(2)		37-44
M73x2	PG63,G2-1/2",NPT2-1/2"	42-52
M75x2		42-52
M80x2		55-62
M88x2	G3",NPT3"	65-70
M100x2		78-84